

ZCICSSEQ.TXT

Z390/CICS Sequential Terminal Support

=====

Stage 1 -- Create a trace of your transactions

I would advise keeping a document relating the file number to the transaction and functions being tested.

My tests are in cics\seq\SEQDOC.TXT

- a) In the Z390CICS.INI file, set SEQ_TERM=TRACE
This will automatically adjust other INI parms:
LOCAL_TERMINALS=1
No INITIAL_TRANSID=
TRACE_LOCALS=YES

- b) Start Z390\CICS
- c) Run a planned test of your transaction
- d) CEMT P SHU to end Z390/CICS
- e) Run Z390SEQG

If you change the INI parm TERMID_PREFIX then change Z390SEQG.BAT as well.

This reads the trace file ttt0.TRE and extracts the input and output streams to create the files SEQInnnn.TXT and SEQCnnnn.TXT

Enter the file number when requested as a 4-digit decimal number including leading zeros, eg. 0009
nnnn is one more than the last one starting from 0001
or the file number if you are replacing a previous one.

Note: The final CEMT P SHU command is not included in the SEQInnnn stream.

- f) Repeat the above steps for each of your transactions

Stage 2 -- Running the simulation

- g) In the Z390CICS.INI file, set SEQ_TERM=YES
This will automatically adjust other INI parms:
LOCAL_TERMINALS=0
No INITIAL_TRANSID=
TRACE_LOCALS=NO

ZCICSSEQ.TXT

h) If you want the simulation to shut down after running, a sample stream is provided called SEQISHUT.TXT, copy this to a new file called SEQInnnn, where nnnn is the next input file sequence.

i) Start Z390\CICS

It will run and shut down if item h above has been done.
It will use the SEQInnnn files as input and creates a single SEQ0001.TXT file as output.

The output streams are also sent to the Sequential terminal.

Stage 3 -- Running the comparator

j) Run Z390CMPG

This will compare all SEQCnnnn files with the new output stream SEQ0001. It produces SEQCOMP.TXT with those data streams that have differences.

There is a WTO message at the end with the number of streams that have been written. The ideal state for a Z390CMPG run is zero which results in a null SEQCOMP.TXT file.

k) Exclusion file

Many output data streams have fields which are known to vary. Date and time are the most frequently encountered.

Study my exclusion file called cics\seq\SEQEXCL.TXT
You can create your own exclusion file, any name will do, just change the SET SEQEXC= line in Z390CMPG to your path/filename.

If you change your exclusion file or create a new one, just rerun Z390CMPG to see the new results.

Abends

Z390COMP may abend with codes 901-905.

These errors are caused by a structural mismatch between SEQ0001.TXT and the comparator files SEQCnnnn.

Before reporting these as errors, please check the following:

- 1) Are all the SEQI and SEQC files in sequence ?
- 2) Has a simulation run been done using the SEQI files (SEQ_TERM=YES) ?
- 3) Have any of the transactions changed since the last run of Z390SEQ

ZCICSSEQ.TXT

for those transactions ?

Trademarks

IBM, CICS and VSAM are registered trademarks of International Business Machines Corporation.

Author: Melvyn Maltz

Shipping Date: June 27, 2008

Z390 version: V1.4.02

Z390/CICS version: V5

→